## AMERICA HANWHA L&C USA LLC

## INDIA HANWHA L&C INDIA OFFICE

### EUROPE HANWHA L&C EUROPE GMBH

## CHINA HANWHA L&C TRADING (SHANGHAI) CO LTD



**DESIGN BOOK ENGINEERD TO INSPIRE** 

Hanwha L&C

## Hanex<sup>®</sup> Solid Surfaces







HANEX® products are non-porous and certified NSF51 for food preparation areas.

Therefore, they can be applied in any application where sanitation is of utmost importance, such as kitchen worksurfaces, hospitals, playrooms or schools.



The unlimited design flexibility of HANEX® enables you to create a beautiful and durable aesthetic in any commercial setting, be it a hospital, bank, restaurant, hotel or office space. Commercial applications include: Office/hospitality and medical counters & worksurfaces, reception desks, bathroom worksurfaces and vanities, tabletops, food preparation areas, commercial fitouts including aesthetically seamless wall cladding, lift & foyer surrounds, lighting and more...

# **Hanex® Achieves The Following**

### Fire Certification EN13501-1b

This is the European Fire classification relating to all construction products, including products incorporated within building elements. Products are considered in relation to their end use application. HANEX® achieves EN13501-1b which is comparable to B5476 Class 0.

### **NSF51 Certification**

This Standard is applicable to the materials and finishes used in the manufacture of food equipment (e.g., beverage dispenser, cutting board, work surfa es, etc).

### **Green guard Certification**

Indoor Air Quality Certification ensures that products meet indoor air quality pollutant guide lines/standards.

### **Stain Resistance Report**

HANEX® is an acrylic solid surface material product

with a high level of alumina trihydrate content as the filler, an ingredient which provides superior resistance to stains and chemicals.

However, exposure to harsh chemicals should be avoided. In case of surface contamination, quickly flush affected area with a domestic gritty cleaner and water. Sand if necessary, as a rule of thumb, surface damage may vary with the chemical strength and exposure time.

### **Scientific Certification Systems**


These certificates relate to recycled chips in use in our material.

Certificates available at www.hanex-i.com





Stratum



ST-101 CLARA



ST-102 MARELINHO



ST-105 MORENO



ST-106 GRENICIO



ST-201 ROMANO

# Stratum



ST-202 WAINUT



ST-203 ALBERO



ST-204 MARRON



ST-301 OYSTER PEARL NEW






















## Bellassimo Episode II



BL-201 KASHMERE



BL-204 SEAWAY



BL-205 SEDIMENTARY



BL-206 SLATE GREY



BL-209 MACASSAR

## Bellassimo Episode II



BL-253 MOUNTAIN FROST NEW

### \_\_ Bellassimo



BL-014 STRATUS



BL-015 CHAMPAGNE



BL-003 PIETRA PANNA



BL-016 CUMULUS







LOCATION NEW JERSEY, USA COLOR BL-204 SEAWAY PROJECT PRIVATE HOUSE, TRENTON





LOCATION SEOUL, KOREA COLOR BL-205 SEDIMENTARY PROJECT CAFÉ ARINCO LOCATION JEJU ISLAND, KOREA COLOR BL-201 KASHMERE PROJECT SEOHAN INDUSTRY







LOCATION SEOUL, KOREA COLOR BL-209 MACASSAR PROJECT STUDIO SEOUL

# **PUBLIC PLACE**

COMMERCIAL





LOCATION BANGKOK, THAILAND COLOR S-008 N-WHITE PROJECT NOKIA FLAGSHIP STORE



LOCATION SEOUL, KOREA COLOR S-008 N-WHITE PROJECT GALLERIA DEPT. STORE



LOCATION HANAM, KOREA COLOR S-008 N-WHITE PROJECT LOCCITANE STORE



LOCATION SEOUL, KOREA COLOR S-008 N-WHITE PROJECT COEX MALL





LOCATION SEOUL, KOREA
COLOR S-008 N-WHITE
PROJECT TOYOTA AT SEOUL MOTOR SHOW

LOCATION BANGKOK, THAILAND COLOR S-008 N-WHITE PROJECT ZPELL DEPT. STORE







# **RESTAURANT**


COMMERCIAL







LOCATION BANGKOK, THAILAND COLOR S-008 N-WHITE PROJECT SOMERSET THAILAND







# **OFFICE**

COMMERCIAL







LOCATION ISTANBUL, TURKEY COLOR S-008 N-WHITE PROJECT GENMAR OFFICE




# **HOSPITAL**

COMMERCIAL





LOCATION SEOUL, KOREA COLOR S-008 N-WHITE PROJECT PRIVATE DENTAL CLINIC





LOCATION SEOUL, KOREA COLOR S-008 N-WHITE PROJECT GANGNAM PUBLIC CONVALESCENT HOSPITAL

35

# **WALL CLADDING**

COMMERCIAL

LOCATION SHENZHEN, CHINA COLOR S-008 N-WHITE PROJECT TCL CORPORATION





LOCATION BEIJING, CHINA COLOR S-008 N-WHITE PROJECT TERMINUS







LOCATION GUANGZHOU, CHINA COLOR S-008 N-WHITE PROJECT SONG CLUB





LOCATION DUBAI, UAE COLOR S-008 N-WHITE PROJECT HUES BOUTIQUE HOTEL




# **RECREATIONAL VEHICLES**

COMMERCIAL










# **KITCHEN**

RESIDENTIAL




LOCATION GYEONGJU, KOREA COLOR T-201 FETA CHEESE PROJECT SG MISOZIUM CONDOMINIUM



LOCATION TAIPEI, TAIWAN
COLOR GAM-001 AFTERSNOW
PROJECT TEAM7 FURNITURE

LOCATION SEOUL, KOREA COLOR M-007 M-BLACK PROJECT LET ME HOME





LOCATION TAIPEI, TAIWAN
COLOR GAM-001 AFTERSNOW
PROJECT TEAM7 FURNITURE





LOCATION SEOUL, KOREA COLOR C-001 CUBIC WHITE PROJECT LOTTE CASTLE



Location SEOUL, KOREA
Color B-040 COPPER BLACK
Project QCINE CELEB SPONSORSHIP

# **BATH**

RESIDENTIAL







LOCATION SEOUL, KOREA COLOR ST-101 CLARA PROJECT RAUM EXHIBITION



LOCATION NSW, AUTRALIA COLOR S-008 N-WHITE PROJECT SCF INTERIORS, WAREEMBA




LOCATION MOSCOW, RUSSIA COLOR S-008 N-WHITE PROJECT CITY HOTEL




LOCATION BEIJING, CHINA COLOR S-008 N-WHITE PROJECT OPERA MALL





## Trio




## Cubic





SCS Certified
Recycled products
(Including % of recycled material)

## Therapy Collection



RE-05 YURI GREY

RE-06 CACAO UMBER

'THERAPY' is the eco-friendly collection which provides the organic and natural look. These products are manufactured with recycled resources so that you could heal the environment with this 'THERAPY' series.

## Galleria



## Glittering








All dark décors are prone to show scratches, dust, haziness and ordinary wear and tear more easily than lighter textured décors. Therefore, these décors are not recommended for use in residential and commercial applications that will be subject to heavy use.


**Nativo Collection** 





The new and premium collection 'NATIVO' resembles distinguished and premium look of nature. The unique atypical chips and tone-on-tone colors in 'NATIVO' create the natural and wild look which solid surfaces never had before.

Brionne











B-031 HELSINKI B-001 IVORY ESSENCE



B-040 COPPER BLACK

\*Colors may vary from actual production

# **One Inspirational Surface**

Hanex® solid surfaces can be fabricated and installed in almost any residential or commercial application with inconspicuous seams. Rich colours and textures.

Superior function and form.

Discover the many unique benefits of Hanex®.

The only limitation of Hanex® is your imagination.


- Easy to fabricate designs envisioned by designers or architects
- Highly durable
- Maintains its colour and shape
- Resistant to heat, mould, pollutants and bacteria
- Renewable, repairable & environmentally friendly
- Easy to care for & maintain scratch & stain resistant
- Extensive colour range
- 10 Years limited warranty
- Endless design possibilities
- Hanex® achieves the highest for classification en13501-1b






## **Hanex® Acrylic Sinks & Bowls**


## **Single Sinks**



## **Double Sinks**



## **Bowls**



## Colours available

S-008 N-WHITE & S-004 IVORY other colors upon request, please contact your local Hanex Distributor All casted sinks are covered by 10 year manufacturers warranty.

## **Features**

- 100% acrylic Sinks & Bowls
- Excellent quality and design
- Available to make the customized designs
- Good color matching with solid surface
- Available in even small quantity(HANEX model)

Available in Solo category with matching solid surface or stainless steel base. All fabricated sinks are covered by 10 year manufacturers warranty. Delivery lead-times will apply as these sinks are manufactured to order.

55



## Standard Size


Hanex has various colors and patterns, and is made of the same materials both inside and outside.

It can compensate the disadvantages of laminate and coating.

It can also be processed in limitless forms inwhich is not possible with

laminate and natural stone.

※ Other size is available upon special order



# Certification

Hanex is highly regarded in the environment-friendly materials market with various environmental related certifications such as NSF, Greenguard, and SCS.















## **Hanex® Material Safety Data Sheet**

### Chemical Product And Company Identification

### **Material Identification**

HANEX (HANEX is a registered trademark of HANWHA L&C CORP.)

Company Identification Manufacturer

### HANWHA LIVING & CREATIVE CORP.

7F Center1, 26, Eulji-ro, 5-Gil, Jung-gu, Seoul 100-210, Korea

### **Contact Details For Information**

HANWHA LIVING & CREATIVE CORP.

7F Center1, 26, Eulji-ro, 5-Gil, Jung-gu, Seoul 100-210, Korea

Ph: +82 2 6364 7817 Fax: +82 2 6367 7809

## Composition And Information On Ingredients

Component	CAS	%
Polymethylmethacrylate	8011-14-7	>30
Alumina Trihydrate	21645-51-2	<70
Methylmethacrylate (Degradation Product)	80-62-6	<1

Heated above 300 dCe,g " HANEX" can release

### Fire-Fighting Measures And Explosion Hazard

#### **Flammable Properties**

"HANEX" can be combusted only with difficulty.

Hazardous gases/vapor produced in fire are carbon monoxide, methyl methacrylate, aldehydes

### **Extinguishing Media**

Water, Dry chemical, CO2

### **Fire Fighting Instructions**

Keep personnel removed and upwind of fire.

Wear self-contained breathing apparatus.

### Accidental Release Measures

### Safeguard (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE during clean up.

### Spill Clean Up

Recover undamaged and minimally contaminated material for reuse and reclamation.

### Handling And Storage

### **Handling (Personnel)**

Avoid breathing dust.

Avoid breathing fumes generated during sawing, routing or drilling.

### **Handling (Physical Aspects)**

Avoid dust generation.

### **Storage**

Store in a cool place

### **Exposure Controls And Personal Protection**

### **Engineering Controls (Ventilation)**

Use ventilation that is adequate to keep employee exposure to air borne concentration below exposure limits.

#### **Personal Protection**

Protective equipment: EYE/FACE PROTECTION

Wear safety glasses during operations such as sawing, sanding, drilling or routing.

### Toxicological Information

### Skin / Eye Irritant Polymethylmethacrylate

The compound is not a skin or eye irritant and is not a skin sensitizer in animals. Single or repeated ingestion produced mild degenerative changes of liver and kidney.

### **Methyl Methacrylate**

The compound is a skin irritant, is a moderate eye irritant, and is a skin sensitizer in animals.

### **Alumina Trihydrateylate**

The compound is untested for skin and eye irritant, and is untested for animal sensitization.

### **Acute Toxicity (LC50)**

POLYMETHYL METHACRYLATE

>2MG/1, 4hr LC50(Inhalation/Rat)

METHYL METHACRYLATE

7093PPM/4hr LC50(Inhalation/Rat)

### **Acute Toxicity (LC50)**

POLYMETHYL METHACRYLATE

>2000mg/kg, 4hr LD50(Oral/Cat)

METHYL METHACRYLATE

7900PPM/4hr LD50(Oral/Cat)

### **Ecological Information**

#### **BIODEGRADATION**

No information is available

### **BIOACCUMULTION**

No information is available

### **AQUATIC TOXICITY**

No information is available

### Disposal Considerations

Dispose in accordance with federal, state and local regulation.

The owner of the material is responsible for proper waste disposal.

### Other Information

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS: "HANEX" products

#### 58

## **Hanex® Specification**

### **Technical Specification**

Sample: Scagliola(HANEX) D

Test Item	Unit	Sample	Result	Test Method
Specific Gravity((23/23) ℃)	-	-	1.756	ASTM D792-08(Method A)
Rockwell Hardness(HRM)	-	-	90	ASTM D785-08(Procedure A)
Tensile Strength	MPa	-	43.8	ASTM D638-10(*)
Tensile Modulus of Elasticity	GPa	-	12.6	ASTM D638-10(*)
Flexural Strength	MPa	-	58.8	ASTM D790-10(**)
Flexural Modulus of Elasticity	GPa	-	10.6	ASTM D790-10(**)
Izod Impact Strength	J/m	-	16	ASTM D256-10(Method A)
Water Absorption(24h Immersion)	%	-	0.036	ASTM D570-98(2010)e1
Density(23 ℃)	g/cm <sup>2</sup>	-	1.751	ASTM D792-08(Method A)
Heat Resistance Test	-	-	No Defects	JIS K 6902 : 2008
Hot Water Resistance Test	-	-	No Defects	JIS K 6902 : 2008
Deflection Temperature Under(1.82 Mpa)	$^{\circ}$	-	115	ASTM D648-07(Method B)
Thermal Expansion	1/ ℃	-	3.93×10-5	JIS K 6911 : 2006

<sup>\*</sup>Specimen: Type I, Speed of Testing: 5 mm/min(Modulus: 1 mm/min)

USAGE: QUALITY CONTROL

<sup>\*</sup>Speed of Testing: 5.2 mm/min, Support Span: 190 mm