


Al-Khalili
BUILDex

الخليلي
بلد يكس

PORTACOOOL™

WHEN COMFORT COUNTS™





PORTACOOOL™

WHEN COMFORT COUNTS™



**DON'T LET
HIGH
TEMPS
SLOW
YOU DOWN**

PORTACOOOL
WHEN COMFORT COUNTS™

EVERY DEGREE MATTERS



COMFORT BY THE NUMBERS


16%

YOU RISK A 16% DECREASE
IN PRODUCTIVITY AT TEMPS
OF 33° C AND ABOVE

HURRICANE 3600



Digital Control Panel



Low Water Shutoff



Timer



Use Built-In Tank or Garden Hose

- 253 L Water Capacity
- Low Water Shut-off
- Timer
- Temp Sensor
- Air Delivery 14,500 CFM/24,635 m³/hr

SPECIAL APPLICATION UNITS



36" Hazmat Unit

- 120 L Water Capacity
- Air Delivery 9600 CFM



**Special Units
designed for use in
hazardous locations.**



Spark resistant Water Control valve Cord wrap for tidy storage
Switches, cords and motors are sealed.

JETSTREAM 260



3

Year warranty on
motor and electrical
components

∞

Lifetime warranty
on all molded
housings



- Uses approximately the same amps as a standard wet/dry vacuum
 - Larger drain allows for easy and effective maintenance
- 227 L Water Capacity
- Air Delivery 12,500 CFM

JETSTREAM 240



3 Year warranty on motor and electrical components

∞ Lifetime warranty on all molded housings



- Liquid level indicator with automatic pump shutoff
- Uses less energy than a standard household toaster
- 189 L Water Capacity
- Air Delivery 4,500 CFM / 7,645 m³/hr

JETSTREAM 1600



- Directional Adjustable Louvers
- Water Level Sight Tube and Sump Drain
- 159 L Water Capacity
- Air Delivery 4000 CFM

JETSTREAM 2400



- Directional Adjustable Louvers
- Water Level Sight Tube and Sump Drain
- 182 L Water Capacity
- Air Delivery 7500 CFM

**CLASSIC
36" UNIT**




**ECONOMICAL
OPERATION**



- Easy-Rolling Casters
- 120 L Water Capacity
- Air Delivery 10,100 CFM
- Low Water Shutoff
- Cord Wrap

CLASSIC 48" UNIT



- Heavy Duty Casters
- Low Water Shut-off
- 150 L Water Capacity
- Cord Wrap
- Air Delivery 20,000 CFM

CYCLONE 2000




- Small Footprint
- 38 L Water Capacity
- Centrifugal Fan – No Fan Blades
- Adjustable Louvers
- Air Delivery 2,000 CFM

CYCLONE 3000



- Small Footprint
- 61 L Water Capacity
- Centrifugal Fan – No Fan Blades
- Adjustable Louvers
- Air Delivery 3,000 CFM

CYCLONE 1000



- Dual water fill options
- Water control valve and water level gauge
- 30 L Water Capacity
- Adjustable Louvers
- Air Delivery 1,000 CFM

ISLANDER



**360°
airflow**



DIGITAL CONTROL PANEL

WATER FLOW ADJUSTMENT

SIX SETS OF LOUVERS



The Portacool Islander portable evaporative cooler is unlike any other cooler, creating cascades of naturally cooled air right where you need it. Six sets of louvers direct the cool, centrifugally-generated air in a 360° radius for optimal spot cooling. 76 L Water Capacity, Air Delivery 2500 CFM

PRODUCT SPECIFICATIONS

	DESCRIPTIONS	AIR DELIVERY (CFM)	WATER RESERVOIR (L)	WEIGHT (kg)	DIMENSIONS (cm) h x w x d
	Hurricane 3600	14,500	253	122	194 x 188 x 89
	36" Hazmat	9600	120	122	170 x 158 x 81
	Jetstream 260	12500	227 L	121	195 X 170 X 88
	Jetstream 240	4500	189 L	69	155 x 107 x 62
	JetStream 1600	4000	160	49	150 x 94 x 62
	JetStream 2400	7500	182	91	182 x 137 x 71
	36" HP Variable Speed	10,100	120	91	170 x 157 x 81
	48" Single Speed	20000	150	156	218 x 188 x 92
	Cyclone 1000	1000	30	23	89 x 50 x 51
	Cyclone 2000	2000	38	27	79 x 61 x 64
	Cyclone 3000	3000	61	45	97 x 74 x 64
	Islander	2500	76	74.8	226 x 96 x 96



مجموعة الخليلي
Al Khalili Group



For Inquiries or Product Demo (Muscat Area Only), Please contact:

☎ 220 35 000

☎ 992 30 965

☎ 246 13 503

@ info@alkhalili.com

🌐 www.alkhalili.com

PORTACOOOL™
WHEN COMFORT COUNTS™